0600

LINE REPORT OF THIS PAGE OF ABSTRACT	Public reporting purden for this collection of information is estimated to average 1 hour per response, including the tim. gathering and maintaining the data needed, and comolecting and reviewing the collection of information. Send comments recollection of information, including suggestions for reducing this burden, to Washington Hersductiers Services, Directorise David Highway, Suite 1204, Arington, VA 22202-4301, and to the Ciffice of Management and analyses, Paperwork Reductions 1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE REPORT TYPE	(NO DVII) CARUEN
Light Sources 3484/TS		
ARIZONA UNIVERSITY ARIZONA UNIVERSITY 2030 E Speedway Street Tucson AZ 85721 SPONSONING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 - EUPPLEMENTARY NOTES A DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ABSTRACT (Maximum 200 words) A distribution as the spins precess. Thus, the vertical-cavity surface-emitties er emission is locked to the spin precession clock, one example of coherements. DISTRIBUTION (ASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT A SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT (ASSIFICATION 20. LIMITATION 20. LIMITATION OF ABSTRACT	TITLE AND SUBTILLE Developing Dome Fourth Done I Coming	5. FUNDING NUMBERS
PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) ARizona University 2030 E Speedway Street Tucson AZ 85721 SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 SUPPLEMENTARY NOTES A DISTRIBUTION/AVARABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ABSTRACT (Maximum 200 worth) Rudies were performed on the precession of spin polarized electrons in a genetic field of up to 12T. Even at densities high enough to provide gain do to see lasing, sufficient spin polarization remains for the lasing dission to alternate back and forth between right and left circular illarization as the spins precess. Thus, the vertical-cavity surface-emitties emission is locked to the spin precession clock, one example of cohere introl. DITTO CUALABLE TERMS 15. NUMBER OF PAGEL 16. PRICE CODE 16. PRICE CODE 16. PRICE CODE 16. PRICE CODE	Light Courses	
PRECORMING ORGANIZATION NAME(S) AND ADDRESS(ES) ARIZONA University 2030 E Speedway Street Tucson AZ 85721 SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 BUPPLEMENTARY NOTES ADSTRACT (Meximum 200 words) ABSTRACT (Meximum 200 words) AGENCY (Meximum 200 words) AUGUST STREET OF THE SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) ADSTRACT (Meximum 200 words) AUGUST STREET OF THE SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) ADSTRACT (Meximum 200 words) AUGUST STREET OF THE SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) AUGUST STREET OF THE SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) AUGUST STREET OF THE SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) AUGUST STREET OF THE SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) A SECURITY CLASSIFICATION IS SECURITY CLASSIFICATION OF ABSTRACT A SECURITY CLASSIFICATION OF ABSTRACT A SECURITY CLASSIFICATION IS SECURITY CLASSIFICATION OF ABSTRACT A SECURITY CLASSIFICATION OF ABSTRACT A SECUR	Light Sources	3484/TS
PRECEDING ORGANIZATION NAME(S) AND ADDRESS(ES) ARIZONA University 2030 E Speedway Street Tucson AZ 85721 SPONSORING (MONITORING AGENCY NAME(S) AND ADDRESS(E)) AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 BUPPLEMENTARY NOTES ADSTRACT (Meximum 200 words) ADSTRACT (Meximum 200 words) AGENCY (Meximum 200 words) AUGUST (M		- -4
ARIZONA University 2030 E Speedway Street Tucson AZ 85721 SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 SUPPLEMENTARY NOTES APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ABSTRACT (Maximum 200 words) Ludies were performed on the precession of spin polarized electrons in a signetic field of up to 12T. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing alsoion to alternate back and forth between right and left cruclar slarization as the spins precess. Thus, the vertical-cavity surface-emitting as emission is locked to the spin precession clock, one example of coherements. DITC QUALITY LABOR PAGE 15. NUMBER OF PAGE 16. PRICE CODE 18. SECURITY CLASSIFICATION OF ABSTRACT 18. PRICE CODE 18. PRICE CODE 19. PRICE CODE 19. PRICE CODE 10. PRICE CODE 10. PRICE CODE 11. PRICE CODE 11. PRICE CODE 12. UNITATION OF ABSTRACT	AUTHOR(S)	
ARIZONA University 2030 E Speedway Street Tucson AZ 85721 SPONSORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 110 Duncan Ave RmB115 B011ing AFB DC 20332-8050 B015TRIBUTION/AVARIABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ASSTRACT (Maximum 200 words) Ludies were performed on the precession of spin polarized electrons in a signetic field of up to 12T. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular plarization as the spins precess. Thus, the vertical-cavity surface-emitting as emission is locked to the spin precession clock, one example of coherements. DITC QUALITY L 15. NUMBER OF PAGES 11. PAGE CODE 16. PRICE CODE 17. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF ABSTRACT 17. SECURITY CLASSIFICATION 20. UMITATION OF ABSTRACT 18. PRICE CODE 18. PRICE CODE 10. SPONSORING ORGANIZATION 20. PRICE CODE 10. PRICE CODE 11. PRICE CODE 12. PRICE CODE 13. PRICE CODE 14. PRICE CODE 15. NUMBER OF PAGES 11. PRICE CODE 16. PRICE CODE 17. SECURITY CLASSIFICATION 20. UMITATION OF ABSTRACT 18. SECURITY CLASSIFICATION 20. UMITATION OF ABSTRACT 20. UMITATION OF ABSTRACT		
ARIZONA University 2030 E Speedway Street Tucson AZ 85721 SPONSONING/MONITORING AGENCY NAME(S) AND ADDRESS(S) AFOSR/NE 110 Duncan Ave RmB115 B01ling AFB DC 20332-8050 EUPPLEMENTARY NOTES A DISTRIBUTION/AVARABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ASSTRACT (Maximum 200 words) Audies were performed on the precession of spin polarized electrons in a signetic field of up to 12T. Even at densities high enough to provide gain do see lasting, sufficient spin polarization remains for the lasing dission to alternate back and forth between right and left circular plantization as the spins precess. Thus, the vertical-cavity surface-emittinger emission is locked to the spin precession clock, one example of cohere on the control. DITC QUALITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF ABSTRACT 16. PRICE CODE	Professor Gibbs	
ARIZONA University 2030 E Speedway Street Tucson AZ 85721 SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(E) AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 BUPPLEMENTARY NOTES 12. DISTRIBUTION/AVARIABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ASSTRACT (Maximum 200 words) Ludies were performed on the precession of spin polarized electrons in a agnetic field of up to 12T. Even at densities high enough to provide gain do see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular plarization as the spins precess. Thus, the vertical-cavity surface-emitties emission is locked to the spin precession clock, one example of cohere pontrol. DITC CHARLET TERMS 15. NUMBER OF PAGES 16. PRICE CODE 7. SECURITY CLASSIFICATION OF ABSTRACT 19. SECURITY CLASSIFICATION OF ABSTRACT 20. LIMITATION OF ABSTRACT	DERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)	B. PERFORMING ORGANIZATION
2030 E Speedway Street Tucson AZ 85721 SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESSIE) AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 LEUPIEMENTARY NOTES 12. DISTRIBUTION/AVARABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED Cudies were performed on the precession of spin polarized electrons in a agnetic field of up to 12T. Even at densities high enough to provide gain nd to see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular plarization as the spins precess. Thus, the vertical-cavity surface-emittiaser emission is locked to the spin precession clock, one example of cohere ontrol. DITC CUARTER 15. NUMBER OF PAGEL 16. PRICE CODE 7. SECURITY CLASSIFICATION OF ABSTRACT 19. SECURITY CLASSIFICATION OF ABSTRACT 20. LIMITATION OF ABSTRACT	Lank divisions described	REPORT NUMBER
2030 E Speedway Street Tucson AZ 85721 SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(S) AFORSONING/MONITORING AGENCY NAME(S) AND ADDRESS(S) AFORSONING/MONITORING AGENCY NAME(S) AND ADDRESS(S) AFORSONING/MONITORING AFORS/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 1. EUFFLEMENTARY NOTES 22. DISTRIBUTION/AVARABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ASSISTANCE (Meximum 200 words) Ludies were performed on the precession of spin polarized electrons in a agnetic field of up to 12T. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular plarization as the spins precess. Thus, the vertical-cavity surface-emitties are emission is locked to the spin precession clock, one example of cohere control. DITC CUALIFICATION 15. NUMBER OF PAGEL 16. PRICE CODE 7. SECURITY CLASSIFICATION OF ABSTRACT 19. SECURITY CLASSIFICATION OF ABSTRACT 20. LIMITATION OF ABSTRACT	ARizona University	ł
SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESSIES AFOSR/NE 110 Duncan Ave RmB115 B011ing AFB DC 20332-8050 I. EUPPLEMENTARY NOTES APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ABSTRACT (Maximum 200 words) Ludies were performed on the precession of spin polarized electrons in a agenetic field of up to 12T. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular plarization as the spins precess. Thus, the vertical-cavity surface-emitties are remission is locked to the spin precession clock, one example of cohere control. DITC CHARGES 1. NUMBER OF PAGES 1. NUMBER OF		į.
AFORSONING/MONITORING AGENCY NAME(S) AND ADDRESS(E) AFORSONING AGENCY REPORT NUMBER AFORSONING AGENCY REPORT NUMBER 110 DUNCAN AVE RMB115 BOILING AFB DC 20332-8050 SUPPLEMENTARY NOTES APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ABSTRACT (Meximum 200 words) ABSTRACT		· I
AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 1. EUFPLEMENTARY NOTES 12. DISTRIBUTION/AVARABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 1. ABSTRACT (Meximum 200 words) 1. ABSTRACT (Meximum 200 words) 1. Succession of spin polarized electrons in a agnetic field of up to 12T. Even at densities high enough to provide gain and to see lassing, sufficient spin polarization remains for the lassing mission to alternate back and forth between right and left circular plarization as the spins precess. Thus, the vertical-cavity surface-emitting aser emission is locked to the spin precession clock, one example of coherectors. 1. SUBJECT TERMS 15. NUMBER OF PAGES 16. PRICE CODE 7. SECURITY CLASSIFICATION 16. SECURITY CLASSIFICATION 17. SECURITY CLASSIFICATION 17. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY C		
AFOSR/NE 110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 1. SUPPLEMENTARY NOTES 22. DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 1. ABSTRACT (Meximum 200 words) 23. DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 24. DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 25. DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 26. ABSTRACT (Meximum 200 words) 27. SECURITY CLASSIFICATION APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 26. DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 26. ABSTRACT (Meximum 200 words) 27. SECURITY CLASSIFICATION APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 27. SECURITY CLASSIFICATION APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 27. SECURITY CLASSIFICATION APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 27. SECURITY CLASSIFICATION APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 28. SUBJECT TERMS 15. NUMBER OF PAGES 16. PAGE CODE 29. LIMITATION OF ABSTRACT 20. LIMITATION OF ABSTRACT 21. SECURITY CLASSIFICATION 22. LIMITATION OF ABSTRACT 23. LIMITATION OF ABSTRACT 24. LIMITATION OF ABSTRACT 25. LIMITATION OF ABSTRACT 26. LIMITATION OF ABSTRACT 27. LIMITATION OF ABSTRACT 27. LIMITATION OF ABSTRACT 28. LIMITATION OF ABSTRACT 28.	SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(EE)	
110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 1. SUPPLEMENTARY NOTES 22. DISTRIBUTION / AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 1. ABSTRACT (Maximum 200 words) 23. DISTRIBUTION / AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 24. DISTRIBUTION CODE 25. DISTRIBUTION CODE 26. DISTRUBUTION UNLIMITED 27. DISTRIBUTION CODE 28. DISTRIBUTION CODE 29. DISTRIBUTION CODE 20. DISTRIBUTION CODE 27. SECURITY CLASSIFICATION 28. SECURITY CLASSIFICATION 29. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT 20. LIMITATION OF ABSTRACT 20. LIMITATION OF ABSTRACT 20. LIMITATION OF ABSTRACT		water inthic believe
110 Duncan Ave RmB115 Bolling AFB DC 20332-8050 1. SUPPLEMENTARY NOTES 22. DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 23. DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 24. ABSTRACT (Maximum 200 words) 25. ABSTRACT (Maximum 200 words) 26. DISTRUBUTION UNLIMITED 27. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular colarization as the spins precess. Thus, the vertical-cavity surface-emitties are emission is locked to the spin precession clock, one example of cohere control. 26. BULLIECT TERMS 16. PRICE CODE 27. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 10. ABSTRACT 20. LIMITATION OF ABSTRACT	AFOSP /NE	1
Bolling AFB DC 20332-8050 1. SUPPLEMENTARY NOTES 22. DISTRIBUTION/AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED 23. ABSTRACT (Maximum 200 words) 24. ABSTRACT (Maximum 200 words) 25. ABSTRACT (Maximum 200 words) 26. ABSTRACT (Maximum 200 words) 27. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION	·	
APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED LABSTRACT (Meximum 200 worth) LABSTRAC		F49620-95-1-0381
APPROVAL FOR PUBLIC RELEASED: DISTRUBUTION UNLIMITED ABSTRACT (Maximum 200 words) Ludies were performed on the precession of spin polarized electrons in a agnetic field of up to 12T. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular polarization as the spins precess. Thus, the vertical-cavity surface-emittinger emission is locked to the spin precession clock, one example of coheremental. DITC QUALITY LINES 15. NUMBER OF PAGES 16. PRICE CODE 19. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF ABSTRACT 19. ASSTRACT TERMS 20. LIMITATION OF ABSTRACT		
tudies were performed on the precession of spin polarized electrons in a agnetic field of up to 12T. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular colarization as the spins precess. Thus, the vertical-cavity surface-emittings as emission is locked to the spin precession clock, one example of cohere control. DITC (UNIVERSALE) 15. NUMBER OF PAGES 16. PRICE CODE 7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF ABSTRACT 10. LIMITATION OF ABSTRACT	· · · · · · · · · · · · · · · · · · ·	
agnetic field of up to 12T. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing mission to alternate back and forth between right and left circular polarization as the spins precess. Thus, the vertical-cavity surface-emitting as emission is locked to the spin precession clock, one example of cohere pontrol. DITC (UALITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF ABSTRACT) 15. NUMBER OF PAGES 16. PRICE CODE 7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF ABSTRACT 17. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF ABSTRACT 17. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF ABSTRACT 17. SECURITY CLASSIFICATION OF ABSTRACT	·	
A. SUBJECT TERMS 15. NUMBER OF PAGES 16. PRICE CODE 7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION OF THIS PAGE 19. SECURITY CLASSIFICATION OF ABSTRACT 20. LIMITATION OF ABSTRACT	·	
15. NUMBER OF PAGES 16. PRICE CODE 7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 10. LIMITATION OF ABSTRACT 10. PRODUCT OF THIS PAGE 10. ABSTRACT	endies were performed on the precession of spin polar agnetic field of up to 12T. Even at densities high and to see lasing, sufficient spin polarization remainssion to alternate back and forth between right and colarization as the spins precess. Thus, the vertical aser emission is locked to the spin precession clock	enough to provide gain ins for the lasing nd left circular al-cavity surface-emittin
15. NUMBER OF PAGES 16. PRICE CODE 7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 10. LIMITATION OF ABSTRACT 10. PRODUCT OF THIS PAGE 10. ABSTRACT	cudies were performed on the precession of spin polarization of spin polarization to alternate back and forth between right are clarization as the spins precess. Thus, the vertical asser emission is locked to the spin precession clocked to the spin	enough to provide gain ins for the lasing nd left circular al-cavity surface-emitting, one example of coherer
7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT	cudies were performed on the precession of spin polarization of spin polarization to alternate back and forth between right are clarization as the spins precess. Thus, the vertical asser emission is locked to the spin precession clocked to the spin	enough to provide gain ins for the lasing nd left circular al-cavity surface-emitting, one example of coherer
7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT	cudies were performed on the precession of spin polarization field of up to 12T. Even at densities high and to see lasing, sufficient spin polarization remainssion to alternate back and forth between right are plarization as the spins precess. Thus, the vertical seer emission is locked to the spin precession clocked to the spin precession	enough to provide gain ins for the lasing nd left circular al-cavity surface-emitting, one example of coherer
16. PRICE CODE	cudies were performed on the precession of spin polarization remains in the agent of the second spin polarization remains a spin to alternate back and forth between right are plarization as the spins precess. Thus, the vertical second spin precession clock ontrol.	enough to provide gain ins for the lasing nd left circular al-cavity surface-emitting, one example of coherer
16. PRICE CODE	cudies were performed on the precession of spin polarization remains in the agent of the second spin polarization remains a spin to alternate back and forth between right are plarization as the spins precess. Thus, the vertical second spin precession clock ontrol.	enough to provide gain ins for the lasing nd left circular al-cavity surface-emitting, one example of coherer
7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT	cudies were performed on the precession of spin polar agnetic field of up to 12T. Even at densities high and to see lasing, sufficient spin polarization remainssion to alternate back and forth between right and colorization as the spins precess. Thus, the vertical aser emission is locked to the spin precession clock control.	enough to provide gain ins for the lasing and left circular al-cavity surface-emitting, one example of coheren
7. SECURITY CLASSIFICATION 18. SECURITY CLASSIFICATION 19. SECURITY CLASSIFICATION 20. LIMITATION OF ABSTRACT	cudies were performed on the precession of spin polar agnetic field of up to 12T. Even at densities high and to see lasing, sufficient spin polarization remainssion to alternate back and forth between right and colorization as the spins precess. Thus, the vertical aser emission is locked to the spin precession clock control.	enough to provide gain ins for the lasing and left circular al-cavity surface-emitting, one example of coheren
OF REPORT OF THIS PAGE OF ABSTRACT	cudies were performed on the precession of spin polarization field of up to 12T. Even at densities high and to see lasing, sufficient spin polarization remainssion to alternate back and forth between right and colorization as the spins precess. Thus, the vertical seer emission is locked to the spin precession clock control.	enough to provide gain ins for the lasing and left circular al-cavity surface-emitting, one example of coherent in the coheren
OF REPORT THE OF ABSTRACT	cudies were performed on the precession of spin polar agnetic field of up to 12T. Even at densities high and to see lasing, sufficient spin polarization remainssion to alternate back and forth between right and colorization as the spins precess. Thus, the vertical aser emission is locked to the spin precession clock control.	enough to provide gain ins for the lasing and left circular al-cavity surface-emitting, one example of coherent in the coheren
	cudies were performed on the precession of spin polar agnetic field of up to 12T. Even at densities high and to see lasing, sufficient spin polarization remainsion to alternate back and forth between right and polarization as the spins precess. Thus, the vertical aser emission is locked to the spin precession clock pontrol. DITC (MALEST E. SECURITY CLASSIFICATION 119. SECURITY CLASSIFICATI	enough to provide gain ins for the lasing and left circular al-cavity surface-emitting, one example of coherer 15. NUMBER OF PAGES 16. PRICE CODE
1	udies were performed on the precession of spin polar gnetic field of up to 12T. Even at densities high d to see lasing, sufficient spin polarization remainsion to alternate back and forth between right and larization as the spins precess. Thus, the vertice ser emission is locked to the spin precession clock notrol. DITC (MARKET ERMS)	enough to provide gain ins for the lasing and left circular al-cavity surface-emitting c, one example of coheren 15. NUMBER OF PAGES 16. PRICE CODE FICATION 20. LIMITATION OF ABSTRACE

DEVELOPING RARE-EARTH-DOPED SEMICONDUCTOR LIGHT SOURCES (AASERT-95)/(AFSOR)

F49620-95-1-0381

FINAL PROGRESS REPORT

Hyatt M. Gibbs, Ph.D.
OPTICAL SCIENCES CENTER
UNIVERSITY OF ARIZONA
TUCSON, ARIZONA

July 15, 1998

19980903 005

Air Force Office of Scientific Research

AASERT/AFOSR Final Report

..-/ . .

The parent grant was terminated after 71% of the funding was received, purportedly for financial rather than scientific reasons. With an extension to stretch the remaining funds, the parent grant ended March 31, 1997. This AASERT end date was May 31, 1998. However, I was requested by AFOSR to expend those funds more quickly if at all possible. This was done by supporting two students in the summer and early fall of 1997.

John Prineas submitted a detailed report last year of his research on luminescence of Er-doped quantum wells, the subject of the parent grant. That research has been published in the *Journal of Applied Physics*. John then concentrated on the radiative coupling effects between a large number of quantum wells. He also measured the linewidths of normal-mode-coupling microcavities as a function of the number of intracavity quantum wells and mirror reflectivity. He showed that the measured quantum well absorption, plus Kramers-Kronig to obtain the refractive index as a function of energy, put into a transfer matrix calculation reproduces very well the measured reflectivity R, transmission T, and absorption A = 1 - R - T. This agreement between measurements and linear dispersion theory, disproving claims to the contrary in two *Physical Review Letters*, has itself been published in said journal. Then John was switched to an AFOSR/AASERT awarded to Professor Galina Khitrova to continue these studies.

Jill Berger worked on the precession of spin polarized electrons in a magnetic field of up to 12T. Even at densities high enough to provide gain and to see lasing, sufficient spin polarization remains for the lasing emission to alternate back and forth between right and left circular polarization as the spins precess. Thus, the vertical-cavity surface-emitting laser emission is locked to the spin precession clock, one example of coherent control. Jill finished her Ph.D. and took a job in California.

This AASERT clearly augmented our research program in a significant way, for which we are indeed grateful.

Hyatt M. Gibbs, Professor